

# GE NIUS LM SERIES

TABLES FOR LAMINATED  
GLASS CUTTING

 **INTERMAC**

# THE PERFECT COMBINATION OF QUALITY AND PRECISION



## THE MARKET CALLS FOR

a change in production processes to meet the ever-growing request for personalised products to satisfy customers' specific needs. This is coupled with the need to maintain high quality standards whilst offering product customisation with quick and clearly-defined delivery times.

## INTERMAC RESPONDS

with **technological solutions that enhance and support technical abilities and knowledge of processes and materials.** Genius LM is the range of cutting tables for laminated glass aimed at companies that wish to automate their laminated glass cutting processes, and which require superior ease of use and an intuitive approach to machining for all glass thicknesses. The Genius LM family is designed to facilitate the handling of glass sheets and of the machine crosspiece, significantly improving productivity. The perfect combination of quality, productivity and flexibility, with maximum efficiency guaranteed.




## **GENIUS** LM SERIES

- SIMPLE, INTUITIVE TECHNOLOGY
- MAXIMUM PERFORMANCE THANKS TO SUPERIOR ERGONOMICS AND FACILITATED HANDLING WHEN CHANGING BETWEEN MACHINING OPERATIONS
- COMPACT WORKING DIMENSIONS ENHANCED BY THE VERTICAL BUFFER (PATENTED) FOR ROTATION OF CROSSPIECES
- EXCELLENT CUTTING PRECISION.

# SIMPLE, INTUITIVE TECHNOLOGY

Genius LM guarantees the same technological solutions as the high-level systems used in the cutting lines of the largest industrial companies.



## CUTTING

The Genius machines are equipped with a photocell to detect the beginning and end of the sheet, enabling free and angled cuts to be completed.



The cutting is carried out using very sensitive chucks mounted on carriages that are driven by brushless motors.

**The cutting quality is guaranteed by the proportional electro-pneumatic control system that enables the power/speed ratio to be measured correctly.**




## LOWER BREAKING OPERATIONS

Lower breaking operations are carried out using a pneumatically-driven wheel, which is fitted directly onto the upper cutting carriage.



Machinable float glass.



Printed C glass.





Laminated glass.

The rigid structure of the cutting bridge ensures superb results when machining glass of any thickness.





### UPPER BREAKING

The two-position breaking bar, which can be programmed in accordance with the thickness of the glass, automatically shears the upper plate. On the surface of the bar there is a coloured line, to be used as a reference for angled cutting operations.



### HEATING OF PLASTIC FILM

A short wave lamp warms the plastic film without overheating the glass. At the same time, the upper cutting bridge ensures that a portion of the sheet is held in place by pressing down on it, and a suction cup bar, which is pressed against the underside of the glass, enables the separation of the finished volume.



### BLADE FOR CUTTING PVB

The blade mounted on the lower cutting carriage is particularly suitable for cutting PVB (> 0.76 mm), ensuring a high-quality finish on the edge.



# ERGONOMICS AND FACILITATED HANDLING

The sliding adjustment bridge, positioned under the work table, renders the working area fully accessible, facilitating handling when switching machining operations.

## ERGONOMICS

The machine is fully open at the front, enabling the operator to follow all phases of the cycle in real time. The cutting, breaking, removal and diagonal positioning operations are fully visible, enabling each stage to be checked. The unloading of the finished volumes and waste is free from obstructions, and takes place directly in the operating zone, with no need to move.



## TILTING ARMS

The machines are equipped with electro-pneumatic tilting arms for loading and unloading the sheets. Maximum sheet capacity 3710x2600 mm with a thickness of 1010.4.

## HIGH PERFORMANCE




### **LASER FOR INCLINED CUTS**

laser tracking system for diagonal cutting of coloured glass and/or high opacity glass.



### **BCR (BRUSH COATING REMOVAL) DEVICE**

For removal of low-emissivity film via a motorised metal brush, with adjustable consumption recovery. Standard removal of 20mm width



### **AUTOMATIC REGISTRATION OF MEASUREMENTS**

retractable mobile stop system for guidance - the operator pushes the plate against the stops to obtain the correct cutting dimensions. The stops are mounted on an adjustment bridge that slides under the table, leaving the work surface completely free from obstacles.




### **BELT UNIT 'AT ENTRANCE TO CUTTING MODULE**

Thanks to the support of the belt assembly at the entrance of the cutting module, the operator remains in the zone for commanding operations/ unloading the finished volumes at all times, enabling high levels of productivity. The crossbar moves automatically until the last volume is reached.


# A SOLUTION FOR EVERY NEED

Intermac can offer solutions for the various different types of manufacturing operations and requirements of customers.


## GENIUS 37 LM



## GENIUS 37 LM+ RC





## GENIUS DUO RS-37



## OPTIMISATION OF SPACE WITHOUT COMPROMISING ON PRODUCTIVITY


- ▀ Maximum process automation, enabling more than 400 square metres of laminated glass be produced during each shift, within a limited space.
- ▀ The movement of the glass is completely automated.
- ▀ Option of performing X static breaking of crosspieces on float glass for Comby lines. This function can be facilitated by the addition of the RB management table for managing the breaking process at the end of the line.



# CO MIBY

## INTERMAC TECHNOLOGY

The Comby are high productivity lines which are integrated into small spaces for the cutting of both float and laminated glass, and are the product of the intelligent combination of the Genius CT-A cutting table (for cutting float glass) and the Genius LM cutting table (for cutting laminated glass).




# A SOLUTION FOR EVERY NEED

Intermac can offer custom solutions in accordance with the specific needs and production specifications of customers.

## COMBY LINES


### COMBY CTA R-37 Stand-alone configuration

---




### COMBY CTA J-37 Stand-alone configuration

---



# INTELLIGENT COMBINATIONS

The Comby lines represent the perfect combination of the two cutting tables, thanks to the addition of the belts on the table, the suction cups on the float cutting bridge, the vertical buffer, the belts on the LM cutting module and the breaking bar on the laminate table.



# MAXIMUM EASE OF USE




The operator interface is simple and intuitive, and enables cutting programmes generated by a range of the optimisers present on the market to be imported, courtesy of the integrated OTD (Optimiser Transferring Data) universal interface that automatically defines cutting parameters and generates the programme for the cutting table.




## NUMERICAL CONTROL ON PC IWNC BASIS (IWNC - INTERMAC WINDOWS NUMERICAL CONTROL)


- ▀ Ideal both for those using CNC machines for the first time and those who already have programming experience.
- ▀ Management of the working parameters of the machine.
- ▀ Creation and modification of the cutting patterns and/or of geometric or non-geometric shapes.
- ▀ Modules for performing quick estimates and creating production reports.




Cutting editor in the Windows environment, with a user-friendly graphic interface, for making straight cuts on sheets without employing the optimisation program. Particularly recommended for quick, immediate cuts, it can manage an endless number of nesting levels and also offers a function for inserting shapes in the glass sheets before cutting.



Parametric library on the machine, containing parametric shapes ready for the optimised cut and working directly on the machine.



Optimizer for straight and shaped cuts. Ideal for shaped cuts and open cuts, this software allows even the most complex production to be optimised to ensure minimum wastage.



Multi-tasking programming software in the Windows environment, for designing shapes complete with parametric programming, automatic geometric profile regeneration functions using a FreeForm function and an automatic function for optimising and regenerating the geometries of artistic shapes in .dxf format (for cuts on vinyl).

# SERV ICE & PARTS

Direct, immediate coordination of service requests between Service and Parts. Support for key customers from specific Intermac personnel, in-house and/or at the customer's site.

## INTERMAC SERVICE

- ▣ Machine and line installation and start-up.
- ▣ Training centre for Intermac field technicians and subsidiary/dealer personnel; customer training directly at the customer's site.
- ▣ Overhaul, upgrade, repairs and maintenance.
- ▣ Remote diagnostics and troubleshooting.
- ▣ Software upgrade.

**85**

Intermac field technicians in Italy and worldwide.

**20**

Intermac technicians working in Teleservice Centre.

**35**

certified dealer technicians.

**50**

training courses in a variety of languages every year.



**SERVICE TEAM**

The Biesse Group promotes, cares and develops direct and constructive relationships with the customers to meet their needs, improve after-sales products and services through two dedicated areas: Intermac Service and Intermac Parts. With its global network and highly specialised team, the company offers on-site and on-line assistance and spare parts for machines and components anywhere in the world, 24/7.

## INTERMAC PARTS

- Original Intermac spare parts and spare parts kits customised to suit the machine model.
- Spare part identification support.
- Offices of DHL, UPS and GLS couriers located within the Intermac spare parts warehouse, with multiple daily pick-ups.
- Optimised order dispatch time, thanks to a global distribution network with de-localised, automated warehouses.


**95%**  
of machine downtime orders dispatched within 24 hours.

**95%**  
of orders dispatched on time.

**30**  
spare parts staff in Italy and worldwide.

**150**  
orders processed every day.

# TECHNICAL SPECIFICATIONS




## GENIUS 37 LM

Lunghezza massima di taglio utile	mm	3710
Attestatura minima	mm	110
Attestatura massima (opz. 3210)	mm	2750
Laminate sheet thicknesses (opz. 1010.4)	mm	33.1 / 88.12
Float glass sheet thicknesses	mm	3 - 10
Minimum breaking	mm	20 - 60
Minimum separation	mm	20 - 60
Max cutting speed	m/min	150
Cutting accuracy	mm	See specifications
Work table height	mm	900 (-15 ÷ 45)
Power requirements	kW	16.8 / 22.6

# SOPHIA

GREATER VALUE FROM MACHINES



The InterMac IoT platform which enables customers to access an extensive range of services to streamline and rationalise their work management processes.

□ SERVICES

□ PROACTIVITY

□ ANALYSIS

 **INTERMAC**

in collaboration with **accenture**

# INDUSTRY 4.0 READY

**Industry 4.0 is the latest industry frontier, based on digital technologies and machines that speak to the companies. The products can be interconnected with the production processes via smart networks.**

Intermac's commitment is to transform our customers' factories with real-time technology, ready to guarantee digital manufacturing opportunities, with smart machines and software packages becoming vital tools that facilitate the daily tasks of people all over the world processing glass, stone, metal and more. Our philosophy is a practical one: to supply entrepreneurs with solid data that can help them to lower their costs, optimise their processes and improve their results.

**And that means being 4.0 ready.**



**INDUSTRY 4.0 READY**

# COMPLETE RANGE OF SOLUTIONS FOR GLASS



## TABLES FOR FLOAT GLASS CUTTING



Genius RS-A    Genius CT-A series    Genius CT-PLUS    Genius CT-RED series

## TABLES FOR LAMINATED GLASS CUTTING



Genius LM series    Genius LM-A series

## MACHINES FOR LAMINATED AND FLOAT GLASS CUTTING



Genius Comby Lines

## LINES FOR LAMINATED OR FLOAT GLASS CUTTING



Genius Lines & Systems

## WATERJET



Primus series

## DOUBLE ENDING MACHINES AND SYSTEMS



Busetti FK series    Busetti F series    Busetti P series    Customised solutions

## WORK CENTRES



Master 23    Master ONE    Master 33.3-38.3-45.3    Master 33.5-38.5-45.5- 45.5 Plus

## SPECIAL WORK CENTRES AND AUTOMATIC CELLS



Master 63-65    Master 95    Master 185

## SPECIAL WORK CENTRES AND AUTOMATIC CELLS



Master with belts    Master working cell

## WORK CENTRES ENGRAVING



Master 34

## VERTICAL MACHINES



Vertmax series    V-Loader

## VERTICAL WASHING MACHINES



Aqua series

## TOOLS FOR GLASS



Diamut tools

## STORAGE & HANDLING SYSTEMS

### STATIC STORAGE



MOVETRO SERIES - Classifiers

### CLASSIC DYNAMIC STORAGE



MOVETRO SERIES - Loading machines

### INNOVATIVE DYNAMIC STORAGE FOR MASS PRODUCTION



MOVETRO SERIES - Shuttle storage systems

### INNOVATIVE DYNAMIC STORAGE FOR DYNAMIC PRODUCTION



MOVETRO SERIES - Overhead crane - Telescopic loading machines - Arpa

# MADE WITH INTERMAC

## GLASS ART AND CUTTING-EDGE TECHNOLOGY

"In Fiam's workshops, we have always tried to respond to designer ideas, even when they were apparently impossible to implement. Designers, like artists, have a creativity that stimulates cutting-edge innovation. So, over time, we have been able to develop new technologies that have allowed us to create unique objects on an industrial scale".  
"Everything started with a stool. A glass stool, of course. A photographer friend came to see me in my glass workshop, saw me standing on the stool and took a picture that was published in some

newspapers. That's when I thought: why not try to make furniture with this material?"

From the first, self-built oven to bend glass sheets through to the first collaborations with artists and designers, it's been an ongoing learning curve. Along with design innovation, Fiam has always invested in technological innovation too. In this respect, the partnership with Intermac for the development of solutions such as double-edging grinding machines and the Master processing centres range is a strategic one.

Our company has always worked in partnership with internationally-renowned Italian and foreign designers.

People like Massimo Morozzi, Rodolfo Dordoni, Giorgetto Giugiaro, Enzo Mari, Cini Boeri through to Vico Magistretti, Ron Arad, Makio Hasuike. Not forgetting Philippe Starck, Daniel Libeskind and Massimiliano Fuksas".

*Vittorio Livi,  
founder and sole director  
Fiam Italia, Italy*

# LIVE THE EXPERIENCE

BIESSEGROUP.COM



Interconnected technologies and advanced services that maximise efficiency and productivity, generating new skills to serve better our customer.

**LIVE THE BIESSE GROUP EXPERIENCE AT OUR CAMPUSES ACROSS THE WORLD.**



